Dongguan Landtool New Materials Co., Ltd MATERIALS SAFETY DATA SHEET

Vision (1): 2019/10/10

1、 CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Trade name	LT-940A
Product Liability Unit	Dongguan Landtool New Materials Co., Ltd
Address	No 76, Changdong Road, Changping Town, Dongguan City,
	Guangdong Province, China
Supplier	Dongguan Landtool New Materials Co., Ltd
Emergency Counseling Information	on: Tel (0769) 88600553 Fax (0769)88600553
Headquarters:	Tel (0769) 88600553 Fax (0769)88600553

2 HAZARDS IDENTIFICATION

Hazard Description	H315 Causes skin irritation.
	H318 Causes serious eye damage.
Precautions: Prevention	P264 After treatment, thoroughly clean the skin.
	P280 Wear protective gloves/protective clothing/eye
	protection/face protection.
	\wedge

GHS Pictograms & Hazards

3、COMPOSITION /INFORMATION ON INGREDIENTS

Chemical Name

high-molecular-weight organosilicon compound

Major Ingredients

Substance	CAS No.	EC No.	Proportion
D4 (Octamethyltetrasiloxane)	556-67-2	209-136-7	55-60%
Isopropanol	67-63-0		25-30%
polyetheramine	9046-10-0		5-10%

Field of application

Textile Processing Chemicals

4、FIRST AID MEASURES

Response

P302 + P352 such as skin contact: wash with plenty of soap

and water.

	P305 + P351 + P338 + P310 If you enter the eye: rinse with
	water for a few minutes. Remove contact lenses if present
	and easy to do. Continue to rinse immediately call the
	detoxification center or doctor.
	P332 + P313 If skin irritation occurs: Get medical advice /
	attention.
	P362 Take off contaminated clothing and then re-use before
	cleaning.
5、FIRE FIGHTING MEASURES	
Fire extinguishing agents	Choose extinguishing agents taking into
	account the surroundings
Restrictions	NO restrictions
Fire/explosion hazard	None
Main combustion gas	Nitrous gases and ammonic gases
Personal protection	Self contained breathing apparatus
6、EMERGENCY TREATMENT	
Personal protection	Tightly fitting safety goggles, Protective rubber gloves
	Keep unprotected persons away
Environmental precautions	Prevent material from reaching sewage systems, holes and

cells. Don't allow to enter the ground/soil

Processing method of leakage Spade into containers labeled as chemical

Waste treatment

7 NANDLING AND STORAGE

Fire precautions	NO special measures required
Storage facilities	Store in a cool, dry area with adequate ventilation

Storage conditions	Sensitive to cold under -10°C
	Sensitive to heat over 40°C
	Ensure good ventilation/exhaustion at the workplace
	Keep containers closed
SX EXPOSURE CONTROLS	AND PERSONAL PROTECTION
Exposure limits	See national regulations
Personal protection	Tightly fitting safety goggles , Protective rubber gloves
Sanitary measures	Exposure to chemical substances, clean the
	forearm and face before eating and smoking
> PHYSICAL AND CHEMIC	AL PROPERTIES
Appearance color	Pale yellow transparent viscous liquid
Odor	A faint characteristic odor
The boiling point	Non-information
Flashing point	Not applicable
Natural temperature	Non flammable (Solid state, Liquid)
Explosion limit	Non-information
The explosion properties	No explosion
Relative density	Non-information
Solubility	Decompose
Solubility in water	Disperses
PH value	About 8.0~9.0
Dynamic viscosity	Not applicable

10, STABILLTY AND REACTIVITY

Chemical stability	This product is stable	
Avoid contact with the condition		
	To prevent temperature about 40° C	
Avoid contact with the material		
	Strong acid, strong alkali, strong oxidizing agents	
Hazardous decomposition products		
	Such as product according to the proposed approach	
	is used, does not release the dangerous substances	

11、TOXICOLOGICAL INFORMATION

Inhale	Move to fresh air	
Skin contact	Remove contaminated clothing, wash with soap and	
	plenty of water in contact	with skin
Eye contact	Immediately with plenty of	of water for at least 10 minutes
Ingestion	Rinse thoroughly with water, drink plenty of water	
LD ₅₀ Ingestion	>2000mg/kg	Rat
LC50 inhalation of vapors	51.3mg/m ³	Rat
Preliminary skin irritation test	Stimulation	Rabbits
Supplementary information	Acute toxicity is similar to the composition of the	
	product tests carried out	

12、 ECOLOGICAL INFORMATION

Ecotoxicity data	
Toxicity to fish LC ₅₀	>100mg/L 96 hours
Metal content	Metal content of less than dye manufacturing ecology
	and toxicology Association recommended limit
Supplementary information	Does not contain formaldehyde, glyoxal and
	other substances
	Does not contain azo, nitroso and other carcinogenic substances

13, DISPOSAL CONSIDERATIONS

Product	Must be connected to the local regulations or dumped
	into landfill incineration
Contaminated packaging	Contaminated packaging must be disposed of as
	chemical waste
Handling	Avoid spillage spreading and flow away, or contact
	with soil, waterways, drains and sewers

14、TRANSPORT INFORMATION

Road/railroad transportation ADR/RID:

Not classified as dangerous in the meaning of transport regulations

Sea carriage IMDG: Not classified as dangerous in the meaning of transport regulations

Air transportation LCAO-TI and IATA-DGR:

Not classified as dangerous in the meaning of transport regulations

15, REGULATORY INFORMATION

Applicable regulations	Workplace safe use of chemicals
	[(1996) Ministry of Labor No. 423]
	Chemical classification and hazard
	communication General [GB 13690-2009]
Protective measures	Adaptation of safety goggles, rubber gloves
Inhale	Move to fresh air
Skin contact	Remove contaminated clothing, wash with soap and
	plenty of water in contact with skin
Eye contact	Immediately with plenty of water for at least 10 minutes
Waste Disposal	This product, dispose of the container shall comply
	with all local, regional, national and international law

16、OTHER INFORMATION

Liaison	(0769) 88600553
Producer	Dongguan Landtool New Materials Co., Ltd
User	In all cases, it is the responsibility of the user to determine
	the applicability of such information and recommendations
	and the suitability of any product for its own particular
	purpose.

This information is prepared based on our current knowledge and therefore does not

guarantee certain properties entirely correct to accept the product receiving personnel,

should bear the responsibility to comply with existing laws and regulations.